



Acute gastroenteritis due to food poisoning in public spaces: A dissertation review

A gastroenterite aguda por intoxicação alimentar em espaços públicos: Uma revisão dissertativa

DOI: 10.56238/isevjhv3n3-010

Receipt of originals: 05/11/2024

Publication acceptance: 05/31/2024

Juliana do Nascimento Moraes Rego¹, Anna Luzia de Jesus Sousa Viegas², Brunno Braga Sauaia³, Júlio Ricardo Avelar Amorim⁴, Lívia Sousa de Matos⁵, Osnar Gustavo de Santana Lima⁶, Pedro Inojosa Ferreira da Silva⁷, Tiago de Aguiar Lima⁸, Bismarck Ascar Sauaia⁹.

ABSTRACT

Food gastroenteritis is an inflammatory process of the digestive tract, caused by the ingestion of water and food contaminated with microorganisms, with bacteria and viruses being common. The survey aimed to know the possible causes of food poisoning in the popular diet and its prophylaxis, considering the high prevalence in low-income populations, as well as the natural history, environmental risk factors and food poisoning prevention measures. The present exploratory study analyzed a documentary of ten scientific articles, selected from the terms: Food poisoning, gastroenteritis, microorganism, food hygiene, written in Portuguese, English and Spanish, available *online* on the platforms Scientific Electronic Library Online (SciELO), Web of Science and National Library of Medicine (PubMed/Medline), Virtual Health Library (VHL) and Google Scholar. between 2017 and 2024. Infectious diarrhoea is among the leading causes of disease worldwide, with a prevalence of 1.5 to 2.5 million deaths per year. The cause of acute gastroenteritis is bacteria, viruses and other parasites, especially the viral classes of food transmission, such as norovirus, rotavirus and adenovirus. Norovirus is the leading nonbacterial cause globally. Among the bacteria of serious action are *the non-typhoid* Salmonella and *Campylobacter*, especially in developed countries, such as the United States and New Zealand, while in Brazil, with precarious basic sanitation conditions in certain territorial portions, *Salmonella* and *E. coli* become more present. Worldwide, 600 million people fall ill annually from Waterborne and Foodborne Diseases, resulting in 420,000 deaths. In Brazil, from 2007 to 2020, there were an average of 662 annual outbreaks, with 156,691 patients, 22,205

¹ Second-year medical student at the Federal University of Maranhão (UFMA)
E-mail: juliana.nascimento@discente.ufma.br

² Second-year medical student at the Federal University of Maranhão (UFMA)
E-mail: anna.viegas@discente.ufma.br

³ Second-year medical student at the Federal University of Maranhão (UFMA)
E-mail: sauaiabrunno@discente.ufma.br

⁴ Second-year medical student at the Federal University of Maranhão (UFMA)
Email: julio.amorim@discente.ufma.br

⁵ Second-year medical student at the Federal University of Maranhão (UFMA)
E-mail: livia.sm@discente.ufma.br

⁶ Second-year medical student at the Federal University of Maranhão (UFMA)
E-mail: osnar.gustavo@discente.ufma.br

⁷ Second-year medical student at the Federal University of Maranhão (UFMA)
Email: pedro.inojosa@discente.ufma.br

⁸ Second-year medical student at the Federal University of Maranhão (UFMA)
Email: aguiar.tiago@discente.ufma.br

⁹ Professor Dr.. Researcher and Advisor, Faculty of Medicine, DEMED I, UFMA. Sao Luis, MA, Brazil
E-mail: bismarck.sauaia@ufma.br



hospitalizations, and 152 deaths, and more than 60% of cases of foodborne illnesses result from the carelessness of hygienic and sanitary handlers, inadequate food processing techniques, and poor hygiene in the physical structure, utensils, and equipment. The implementation of good hygiene practices is essential to ensure the safety of the food offered in popular restaurants, such measures and procedures aim to prevent food contamination and ensure the hygienic quality of products, from their origin to their final consumption. Therefore, it is concluded that food poisoning is a serious public health problem, especially with regard to the high risk of infection that it offers to populations that use food in public spaces.

Keywords: Food poisoning, Gastroenteritis, Food hygiene, Microorganisms.



REFERENCES

- ARRUDA, G. R. de; LEITE, K. da S.; SOARES, L. R.; COUTO, R. da G.; OLIVEIRA, S. de.; PRADO, B. G. (2020). Condições Higiênico-Sanitárias Em Serviços De Alimentação E Percepção De Risco Em Manipuladores De Alimentos. Trabalho de Conclusão de Curso (Graduação em Nutrição) - Centro Universitário de Várzea Grande (UNIVAG).
- BÁNYAI, K. et al. (2018). Viral gastroenteritis. *The Lancet*, 392(10142), 175-186. Retrieved from <https://pubmed.ncbi.nlm.nih.gov/30025810/>.
- BEZERRA, I. N., Moreira, T. M. V., Cavalcante, J. B., Souza, A. de M., & Sichieri, R. (2017). Food consumed outside the home in Brazil according to places of purchase. *Revista de Saúde Pública*, 51(0). <https://doi.org/10.1590/s1518-8787.2017051006750>
- BRASIL. Ministério da Saúde. (2020). Doenças de Transmissão Hídrica e Alimentar (DTHA). Brasília. Retrieved from <https://www.gov.br/saude/ptbr/assuntos/saude-de-a-a-z/d/dtha>.
- FONSECA, L. C., AZEVEDO, G. H. M., SANATANA, R. M., et al. (2019). Diversidade Bacteriana Em Superfícies De Restaurantes De Palmas-TO. *Revista de Patologia do Tocantins*, 6(2), 10–14. DOI: <https://doi.org/10.20873/uft.2446-6492.2019v6n2p10>.
- RIBEIRO, M. S.; CALADO, I. L.; PADILHA, L. L., et al. (2023). Condições higienicossanitárias em restaurantes populares de cidades brasileiras. *Vigilância Sanitária em Debate*, 11. DOI: <https://doi.org/10.22239/2317-269X.02111>.
- ROJJANADUMRONGKUL, K., KUMTHIP, K., KHAMRIN, P., et al. (2020). Enterovirus infections in pediatric patients hospitalized with acute gastroenteritis in Chiang Mai, Thailand, 2015–2018. *PeerJ*, 8, e9645. DOI: <https://doi.org/10.7717/peerj.9645>. Retrieved from <https://peerj.com/articles/9645/>.
- WHO. (n.d.). World Health Organization. Foodborne diseases. Retrieved from https://www.who.int/health-topics/foodborne-diseases#tab=tab_1.