


INTERMITTENT FASTING AND CHRONONUTRITION: SYNERGISTIC APPROACHES FOR METABOLIC HEALTH

 <https://doi.org/10.56238/rcsv7n12-003>

Approved on: 01/18/2023

Submitted on: 12/18/2022

Andressa dos Reis Gonçalves Mariani

ABSTRACT

Intermittent fasting (IF) and chrononutrition are emerging dietary strategies that align eating patterns with human circadian rhythms to improve metabolic health. While intermittent fasting emphasizes extended periods without caloric intake, chrononutrition focuses on the timing of food consumption relative to biological clocks. Both approaches have been associated with improvements in insulin sensitivity, lipid metabolism, and weight management. Evidence suggests that meal timing plays a critical role in regulating circadian physiology, influencing hormone secretion, glucose metabolism, and energy expenditure. Integrating principles of IF and chrononutrition may provide synergistic benefits for obesity prevention, metabolic syndrome management, and long-term health. This article reviews the scientific basis of intermittent fasting and chrononutrition, explores their mechanisms of action, and discusses their potential applications in clinical and public health contexts.

Keywords: Intermittent Fasting. Chrononutrition. Circadian Rhythm. Metabolism. Obesity. Insulin Sensitivity. Metabolic Health.

INTRODUCTION

The interaction between eating patterns and circadian rhythms has become an area of growing scientific interest, particularly through the study of intermittent fasting (IF) and chrononutrition. Intermittent fasting refers to structured periods of food abstinence alternating with eating windows, while chrononutrition emphasizes the importance of meal timing in synchrony with the body's circadian clock (Longo & Mattson, 2014; Johnston, 2014). Together, these strategies aim not only to reduce caloric intake but also to optimize metabolic processes by respecting the temporal organization of human physiology.

One of the primary mechanisms linking IF and chrononutrition to metabolic health is their influence on circadian biology. The central circadian clock, located in the suprachiasmatic nucleus of the hypothalamus, regulates peripheral clocks in organs such as the liver, pancreas, and adipose tissue, coordinating glucose and lipid metabolism (Panda, 2016). Disruption of this synchrony, as seen in shift workers or individuals with irregular eating patterns, is associated with increased risks of obesity, type 2 diabetes, and cardiovascular disease (Scheer et al., 2009). By aligning feeding windows with circadian rhythms, IF and chrononutrition help restore metabolic balance.

Studies on time-restricted feeding (TRF), a form of intermittent fasting where eating is limited to a fixed daily window, show improvements in insulin sensitivity, blood pressure, and oxidative stress, independent of weight loss (Sutton et al., 2018). For example, early TRF, where meals are consumed earlier in the day, has been shown to enhance glucose control and reduce appetite, underscoring the role of chrononutrition in maximizing the benefits of fasting. Conversely, late-night eating has been linked to impaired glucose tolerance, weight gain, and increased cardiometabolic risk (Garaulet & Gómez-Abellán, 2014).

Another important pathway involves hormonal regulation. IF and chrononutrition influence the secretion of insulin, cortisol, and melatonin, which play critical roles in metabolism. Restricting food intake to daylight hours aligns with the natural peak in insulin sensitivity, thereby reducing postprandial glucose excursions and lowering the risk of metabolic dysfunction (Cienfuegos et al., 2020). Moreover, fasting periods stimulate ketogenesis, autophagy, and cellular repair processes, which are beneficial for long-term metabolic health (Longo & Mattson, 2014).

In addition to metabolic improvements, intermittent fasting and chrononutrition have shown promise in modulating inflammation and oxidative stress, which are critical contributors to chronic disease. Prolonged fasting intervals stimulate cellular stress resistance pathways and reduce pro-inflammatory cytokine production, thereby lowering the

risk of cardiovascular disease and neurodegenerative disorders (de Cabo & Mattson, 2019). Moreover, alignment of eating schedules with circadian rhythms enhances mitochondrial efficiency, reducing the generation of reactive oxygen species and improving overall cellular function (Hatori et al., 2012). These findings suggest that IF and chrononutrition exert protective effects that extend beyond weight management.


Another area of growing interest is the influence of fasting and meal timing on gut microbiota composition and diversity. Evidence indicates that time-restricted feeding can increase microbial diversity and promote the growth of bacteria associated with improved metabolic profiles (Leone et al., 2015). The gut microbiota, in turn, communicates with host circadian systems and modulates energy balance, glucose metabolism, and appetite regulation. Disruptions in this interaction, such as through irregular meal timing or late-night eating, have been linked to dysbiosis and metabolic dysfunction (Thaiss et al., 2014). Thus, integrating chrononutrition with intermittent fasting may restore host–microbiota synchrony, further enhancing metabolic health.

Furthermore, the application of IF and chrononutrition extends to disease prevention and treatment in clinical settings. Studies have shown that fasting-mimicking diets and structured meal timing interventions can reduce risk factors for type 2 diabetes, hypertension, and certain cancers (Wei et al., 2017). Importantly, tailoring these dietary strategies to individual chronotypes—whether a person is a “morning” or “evening” type—can optimize adherence and therapeutic efficacy (Xie et al., 2023). Personalized approaches that consider genetics, lifestyle, and circadian preference may therefore represent the future of nutrition-based interventions in metabolic and chronic disease management.

The flowchart illustrates the relationship between eating patterns and circadian rhythms, highlighting how intermittent fasting and chrononutrition contribute to improved metabolic health. Intermittent fasting reduces caloric intake and enhances metabolic processes, while chrononutrition aligns meal timing with the body’s circadian clock. Together, these strategies support better regulation of glucose and lipid metabolism, leading to outcomes such as enhanced insulin sensitivity, reduced risks of obesity and cardiovascular disease, and modulation of inflammation and oxidative stress. This integration demonstrates the synergistic effects of fasting and meal timing on long-term health and disease prevention.

Figure 1

Interaction Between Intermittent Fasting, Chrononutrition, and Circadian Rhythms in Metabolic Health



Source: Created by author.

In conclusion, intermittent fasting and chrononutrition represent complementary dietary strategies that leverage circadian biology to promote metabolic health. By aligning food intake with biological rhythms, these approaches hold promise for preventing obesity, improving insulin sensitivity, and reducing cardiometabolic risk. Future research should focus on personalized approaches that consider individual chronotypes, lifestyle factors, and health status to maximize the therapeutic potential of IF and chrononutrition.

REFERENCES

- Antonio, S. L. (2025). Technological innovations and geomechanical challenges in Midland Basin drilling. *Brazilian Journal of Development*, 11(3), Article e78097. <https://doi.org/10.34117/bjdv11n3-005>
- Cienfuegos, S., Gabel, K., Kalam, F., Ezpeleta, M., Wiseman, E., Pavlou, V., ... Varady, K. A. (2020). Effects of 4- and 6-h time-restricted feeding on weight and cardiometabolic health: A randomized controlled trial in adults with obesity. *Cell Metabolism*, 32(3), 366–378.e3. <https://doi.org/10.1016/j.cmet.2020.06.018>
- de Cabo, R., & Mattson, M. P. (2019). Effects of intermittent fasting on health, aging, and disease. *New England Journal of Medicine*, 381(26), 2541–2551. <https://doi.org/10.1056/NEJMra1905136>
- Filho, W. L. R. (2025a). The role of AI in enhancing identity and access management systems. *International Seven Journal of Multidisciplinary*, 1(2), Article e011. <https://doi.org/10.56238/isevmjv1n2-011>
- Filho, W. L. R. (2025b). The role of zero trust architecture in modern cybersecurity: Integration with IAM and emerging technologies. *Brazilian Journal of Development*, 11(1), Article e76836. <https://doi.org/10.34117/bjdv11n1-060>
- Freitas, G. B., Rabelo, E. M., & Pessoa, E. G. (2023). Projeto modular com reaproveitamento de contêiner marítimo. *Brazilian Journal of Development*, 9(10), 28303–28339. <https://doi.org/10.34117/bjdv9n10-057>
- Garaulet, M., & Gómez-Abellán, P. (2014). Timing of food intake and obesity: A novel association. *Physiology & Behavior*, 134, 44–50. <https://doi.org/10.1016/j.physbeh.2014.01.001>
- Gill, S., & Panda, S. (2015). A smartphone app reveals erratic diurnal eating patterns in humans that can be modulated for health benefits. *Cell Metabolism*, 22(5), 789–798. <https://doi.org/10.1016/j.cmet.2015.09.005>
- Hatori, M., Vollmers, C., Zarrinpar, A., DiTacchio, L., Bushong, E. A., Gill, S., ... Panda, S. (2012). Time-restricted feeding without reducing caloric intake prevents metabolic diseases in mice fed a high-fat diet. *Cell Metabolism*, 15(6), 848–860. <https://doi.org/10.1016/j.cmet.2012.04.019>
- Johnston, J. D. (2014). Physiological links between circadian rhythms, metabolism and nutrition. *Experimental Physiology*, 99(9), 1133–1137. <https://doi.org/10.1113/expphysiol.2014.078295>
- Leone, V., Gibbons, S. M., Martinez, K., Hutchison, A. L., Huang, E. Y., Cham, C. M., ... Chang, E. B. (2015). Effects of diurnal variation of gut microbes and high-fat feeding on host circadian clock function and metabolism. *Cell Host & Microbe*, 17(5), 681–689. <https://doi.org/10.1016/j.chom.2015.03.006>
- Longo, V. D., & Mattson, M. P. (2014). Fasting: Molecular mechanisms and clinical applications. *Cell Metabolism*, 19(2), 181–192. <https://doi.org/10.1016/j.cmet.2013.12.008>

Oliveira, C. E. C. de. (2025). Gentrification, urban revitalization, and social equity: Challenges and solutions. *Brazilian Journal of Development*, 11(2), Article e77293. <https://doi.org/10.34117/bjdv11n2-010>

Panda, S. (2016). Circadian physiology of metabolism. *Science*, 354(6315), 1008–1015. <https://doi.org/10.1126/science.aah4967>

Patterson, R. E., & Sears, D. D. (2017). Metabolic effects of intermittent fasting. *Annual Review of Nutrition*, 37, 371–393. <https://doi.org/10.1146/annurev-nutr-071816-064634>

Pessoa, E. G. (2024). Pavimentos permeáveis: Uma solução sustentável. *Revista Sistemática*, 14(3), 594–599. <https://doi.org/10.56238/rcsv14n3-012>

Pessoa, E. G. (2025a). Optimizing helical pile foundations: A comprehensive study on displaced soil volume and group behavior. *Brazilian Journal of Development*, 11(4), Article e79278. <https://doi.org/10.34117/bjdv11n4-047>

Pessoa, E. G. (2025b). Utilizing recycled construction and demolition waste in permeable pavements for sustainable urban infrastructure. *Brazilian Journal of Development*, 11(4), Article e79277. <https://doi.org/10.34117/bjdv11n4-046>

Pessoa, E. G., & Freitas, G. B. (2022a). Análise de custo de pavimentos permeáveis em bloco de concreto utilizando BIM (Building Information Modeling). *Revistaft*, 26(111), Article 86. <https://doi.org/10.5281/zenodo.10022486>

Pessoa, E. G., & Freitas, G. B. (2022b). Análise comparativa entre resultados teóricos da deflexão de uma laje plana com carga distribuída pelo método de equação diferencial de Lagrange por série de Fourier dupla e modelagem numérica pelo software SAP2000.

Revistaft, 26(111), Article 43. <https://doi.org/10.5281/zenodo.10019943>

Pessoa, E. G., Benitez, G. S. P. A., Oliveira, N. P. de, & Leite, V. B. F. (2022). Análise comparativa entre resultados experimentais e teóricos de uma estaca com carga horizontal aplicada no topo. *Revistaft*, 27(119), Article 67. <https://doi.org/10.5281/zenodo.7626667>

Pessoa, E. G., Feitosa, L. M., Padua, V. P., & Pereira, A. G. (2023a). Estudo dos recalques primários em um aterro executado sobre a argila mole do Sarapuí. *Brazilian Journal of Development*, 9(10), 28352–28375. <https://doi.org/10.34117/bjdv9n10-059>

Pessoa, E. G., Feitosa, L. M., Pereira, A. G., & Padua, V. P. (2023b). Efeitos de espécies de alna eficiência de coagulação, Al residual e propriedade dos flocos no tratamento de águas superficiais. *Brazilian Journal of Health Review*, 6(5), 24814–24826. <https://doi.org/10.34119/bjhrv6n5-523>

Santos, H., & Pessoa, E. G. (2024). Impacts of digitalization on the efficiency and quality of public services: A comprehensive analysis. *Lumen et Virtus*, 15(40), 4409–4414. <https://doi.org/10.56238/levv15n40-024>

Scheer, F. A. J. L., Hilton, M. F., Mantzoros, C. S., & Shea, S. A. (2009). Adverse metabolic and cardiovascular consequences of circadian misalignment. *Proceedings of the National Academy of Sciences*, 106(11), 4453–4458. <https://doi.org/10.1073/pnas.0808180106>

Silva, E. N. da. (2025). Urban circular microfactories: Local micro-plants for regenerative urban economies. *Brazilian Journal of Development*, 11(9), Article e82335. <https://doi.org/10.34117/bjdv11n9-059>

Silva, J. F. (2025). Desafios e barreiras jurídicas para o acesso à inclusão de crianças autistas em ambientes educacionais e comerciais. *Brazilian Journal of Development*, 11(5), Article e79489. <https://doi.org/10.34117/bjdv11n5-011>

Sutton, E. F., Beyl, R., Early, K. S., Cefalu, W. T., Ravussin, E., & Peterson, C. M. (2018). Early time-restricted feeding improves insulin sensitivity, blood pressure, and oxidative stress even without weight loss in men with prediabetes. *Cell Metabolism*, 27(6), 1212–1221.e3. <https://doi.org/10.1016/j.cmet.2018.04.010>

Testoni, F. O. (2025). Niche accounting firms and the Brazilian immigrant community in the U.S.: A study of cultural specialization and inclusive growth. *Brazilian Journal of Development*, 11(5), Article e79627. <https://doi.org/10.34117/bjdv11n5-034>

Thaiss, C. A., Zeevi, D., Levy, M., Zilberman-Schapira, G., Suez, J., Tengeler, A. C., ... Elinav, E. (2014). Transkingdom control of microbiota diurnal oscillations promotes metabolic homeostasis. *Cell*, 159(3), 514–529. <https://doi.org/10.1016/j.cell.2014.09.048>

Wei, M., Brandhorst, S., Shelehchi, M., Mirzaei, H., Cheng, C. W., Budniak, J., ... Longo, V. D. (2017). Fasting-mimicking diet and markers/risk factors for aging, diabetes, cancer, and cardiovascular disease. *Science Translational Medicine*, 9(377), Article eaai8700. <https://doi.org/10.1126/scitranslmed.aai8700>

Xie, Y., Tang, Q., Chen, G., Xie, M., Yu, S., Zhao, J., ... Huang, F. (2023). Chronotype and cardiometabolic health: A systematic review and meta-analysis. *Sleep Medicine Reviews*, 68, Article 101770. <https://doi.org/10.1016/j.smr.2023.101770>