


## APPLICATIONS OF MACHINE LEARNING IN FORECASTING OPERATIONAL COSTS

 <https://doi.org/10.56238/rcsv6n5-005>

Submitted on: 08/13/2022

Approved on: 09/13/2022

Josimar Santos Viana<sup>1</sup>

### ABSTRACT

Machine learning (ML) has emerged as a transformative tool for forecasting operational costs across industries, offering data-driven insights that enhance efficiency, risk management, and decision-making. Unlike traditional statistical models, ML approaches can capture nonlinear relationships, complex variable interactions, and hidden patterns in high-dimensional datasets. This paper discusses the main applications of ML in operational cost forecasting, focusing on predictive maintenance, energy cost prediction, hybrid modeling, and uncertainty quantification. It emphasizes the role of data quality, feature engineering, model interpretability, and governance in ensuring reliable deployment. Empirical evidence and real-world studies demonstrate that hybrid and ensemble approaches outperform single-model solutions, reducing forecasting errors and improving business adaptability. The study concludes that integrating ML with traditional forecasting techniques provides a pragmatic and effective strategy for managing financial uncertainty and optimizing resource allocation in dynamic operational environments.

**Keywords:** Machine Learning. Operational Cost Forecasting. Predictive Maintenance. Hybrid Models. Ensemble Learning. Cost Management. Time-Series Prediction.

---

<sup>1</sup> Bachelor's degree in Mechanical. Faculdade Pitágoras. Minas Gerais, Brazil.  
E-mail: josiumsa@gmail.com

## INTRODUCTION

Machine learning (ML) techniques have increasingly been applied to the forecasting of operational costs across industries, transforming cost management from rule-driven budgeting into a data-driven discipline. Operational costs—including maintenance, energy, labor, consumables, and logistics—are influenced by seasonal patterns, exogenous factors such as commodity prices and demand, and event-driven shocks like equipment failures or supply interruptions. While traditional statistical forecasting and managerial heuristics remain useful, ML methods offer advantages by representing nonlinear relationships, modeling complex interactions among predictors, and automatically identifying relevant features. This capability enables organizations to improve short- and medium-term cost forecasts, which are essential for budgeting, pricing, and resource-allocation decisions (Makridakis, Spiliotis, & Assimakopoulos, 2020).

A key area of ML application in operational cost forecasting is predictive maintenance. By using sensor telemetry, work-order histories, and operational logs, supervised learning models can estimate not only the probability of equipment failure but also the expected remaining useful life and repair cost distributions. Tree-based ensemble models such as Random Forests and Gradient Boosting Machines (e.g., XGBoost) have become particularly popular because they handle heterogeneous tabular data, are robust to missing values, and provide measures of variable importance that support interpretability (Breiman, 2001; Chen & Guestrin, 2016). These models have proven especially effective in industrial settings where high-dimensional operational data are available.

Beyond maintenance, ML is widely used to forecast energy-related operational costs in industrial facilities and manufacturing plants. Models combining historical energy consumption, production schedules, weather conditions, and tariff structures can predict future energy expenditures with high precision. Recurrent Neural Networks (RNNs) and their gated variants, such as Long Short-Term Memory (LSTM) networks, are particularly suited for this task because they capture temporal dependencies and complex seasonality that traditional autoregressive models cannot represent (Hochreiter & Schmidhuber, 1997). Moreover, hybrid approaches that integrate classical time-series models, such as ARIMA, with neural networks can effectively model both linear and nonlinear components of cost data, improving predictive accuracy (Zhang, 2003).

Model evaluation is a crucial step because forecasting errors directly translate into financial risk. Metrics such as Mean Absolute Error (MAE) and Mean Absolute Percentage Error (MAPE) are commonly used for point forecasts, while proper scoring rules or interval

coverage probabilities assess uncertainty estimates. Empirical evidence from large-scale competitions, such as the M4 Competition, demonstrates that no single forecasting method consistently outperforms others; instead, ensembles and hybrid approaches tend to achieve superior results due to their ability to mitigate model-specific biases and adapt to data heterogeneity (Makridakis et al., 2020). These findings suggest that model combinations are particularly advantageous for forecasting operational costs, which often depend on diverse and interrelated variables.

Feature engineering is another determinant of success in ML-based forecasting. Effective models rely on well-structured features, including lagged variables, rolling averages, categorical encodings, and exogenous predictors such as production volume or weather data. Handling missing or inconsistent records is also critical, as operational datasets frequently exhibit reporting errors or incomplete entries. Applying time-aware cross-validation ensures that temporal dependencies are respected during model evaluation, avoiding information leakage and ensuring more realistic performance estimates (Breiman, 2001).

Interpretability remains a central concern in business environments. Although deep learning models can achieve high predictive accuracy, decision-makers often prefer tree-based or hybrid systems that offer transparency through feature-importance metrics, partial dependence plots, or local explanation methods such as SHAP values. These tools help managers identify the main drivers of cost variation and implement preventive or corrective actions (Chen & Guestrin, 2016). Additionally, incorporating uncertainty quantification—through quantile regression forests, Bayesian methods, or bootstrapped ensembles—allows organizations to assess potential cost variability and plan contingency budgets more effectively.

The deployment of ML models for operational cost forecasting involves several challenges. Concept drift, caused by process changes, new suppliers, or tariff updates, can degrade model accuracy over time. Data misalignment between accounting and operational systems may introduce spurious seasonality or distort temporal patterns. Furthermore, rare but high-cost events, such as catastrophic equipment failures, complicate model calibration and require specialized loss functions or anomaly-detection mechanisms. Successful implementation therefore demands robust governance: regular model monitoring, retraining pipelines, and integration of human oversight into automated systems (Makridakis et al., 2020).


To ensure that ML delivers sustainable business value, organizations should adopt a structured roadmap: begin with pilot applications that offer measurable cost impacts,

benchmark simple statistical baselines, and then gradually introduce more complex ML or hybrid approaches as justified by demonstrable performance improvements. Emphasizing robust validation, operational integration, interpretability, and stakeholder trust are key factors for long-term success. The most effective forecasting systems are not those using the most complex algorithms but those that combine the strengths of classical statistical models and modern ML, grounded in empirical evidence and aligned with managerial objectives (Zhang, 2003; Makridakis et al., 2020).

The flowchart illustrates the process of applying machine learning to forecast operational costs, starting with the collection and preprocessing of high-quality data. It then progresses through feature engineering, where relevant variables are extracted to improve model accuracy. Next, different machine learning models such as Random Forest, XGBoost, and LSTM are trained and validated using historical data. The trained models provide forecasts for various operational cost components like maintenance, energy, and logistics. The process includes rigorous evaluation using metrics such as Mean Absolute Error and Mean Absolute Percentage Error to ensure precision. Uncertainty quantification is incorporated to manage risk, followed by deployment and integration of the model within business operations. Finally, the flowchart emphasizes continuous monitoring and retraining of the model to adapt to new data and maintain forecasting accuracy over time. This systematic approach enables organizations to optimize cost management and make informed financial decisions.

**Figure 1**

*Machine Learning-Based Operational Cost Forecasting Workflow*



Source: Created by author.

In conclusion, machine learning substantially enhances the forecasting of operational costs by providing flexible modeling of nonlinearities, efficient handling of exogenous variables, and scalable feature discovery. When combined with strong data engineering, explainable methodologies, and adaptive governance frameworks, ML-based forecasting enables organizations to improve budgeting accuracy, manage risks more effectively, and support evidence-based decision-making. The integration of traditional forecasting techniques with machine learning represents a pragmatic and empirically validated approach to achieving consistent and interpretable performance in operational cost prediction.

## REFERENCES

- Antonio, S. L. (2025). Technological innovations and geomechanical challenges in Midland Basin drilling. *Brazilian Journal of Development*, 11(3), Article e78097. <https://doi.org/10.34117/bjdv11n3-005>
- Breiman, L. (2001). Random forests. *Machine Learning*, 45(1), 5–32. <https://doi.org/10.1023/A:1010933404324>
- Chen, T., & Guestrin, C. (2016). XGBoost: A scalable tree boosting system. In *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining* (pp. 785–794). Association for Computing Machinery. <https://doi.org/10.1145/2939672.2939785>
- DA SILVA, E. N. (2024). Green nanotechnology applied to circular manufacturing. *LUMEN ET VIRTUS*, 14(32). <https://doi.org/10.56238/levv14n32-029>
- Filho, W. L. R. (2025a). The role of AI in enhancing identity and access management systems. *International Seven Journal of Multidisciplinary*, 1(2). <https://doi.org/10.56238/isevmjv1n2-011>
- Filho, W. L. R. (2025b). The role of zero trust architecture in modern cybersecurity: Integration with IAM and emerging technologies. *Brazilian Journal of Development*, 11(1), Article e76836. <https://doi.org/10.34117/bjdv11n1-060>
- Hochreiter, S., & Schmidhuber, J. (1997). Long short-term memory. *Neural Computation*, 9(8), 1735–1780. <https://doi.org/10.1162/neco.1997.9.8.1735>
- Makridakis, S., Spiliotis, E., & Assimakopoulos, V. (2020). The M4 competition: 100,000 time series and 61 forecasting methods. *International Journal of Forecasting*, 36(1), 54–74. <https://doi.org/10.1016/j.ijforecast.2019.04.014>
- Oliveira, C. E. C. de. (2025). Gentrification, urban revitalization, and social equity: Challenges and solutions. *Brazilian Journal of Development*, 11(2), Article e77293. <https://doi.org/10.34117/bjdv11n2-010>
- Pessoa, E. G. (2024). Pavimentos permeáveis: Uma solução sustentável [Permeable pavements: A sustainable solution]. *Revista Sistemática*, 14(3), 594–599. <https://doi.org/10.56238/rcsv14n3-012>
- Pessoa, E. G. (2025a). Optimizing helical pile foundations: A comprehensive study on displaced soil volume and group behavior. *Brazilian Journal of Development*, 11(4), Article e79278. <https://doi.org/10.34117/bjdv11n4-047>
- Pessoa, E. G. (2025b). Utilizing recycled construction and demolition waste in permeable pavements for sustainable urban infrastructure. *Brazilian Journal of Development*, 11(4), Article e79277. <https://doi.org/10.34117/bjdv11n4-046>
- Pessoa, E. G., Azevedo Benitez, G. S. P., de Oliveira, N. P., & Leite, V. B. F. (2022). Análise comparativa entre resultados experimentais e teóricos de uma estaca com carga horizontal aplicada no topo [Comparative analysis between experimental and theoretical results of a pile with horizontal load applied at the top]. *Revistaft*, 27(119), 67. <https://doi.org/10.5281/zenodo.7626667>
- Pessoa, E. G., & Freitas, G. B. (2022a). Análise comparativa entre resultados teóricos da deflexão de uma laje plana com carga distribuída pelo método de equação de diferencial de Lagrange por série de Fourier dupla e modelagem numérica pelo software SAP2000

[Comparative analysis between theoretical deflection results of a flat slab using Lagrange differential equation with double Fourier series and numerical modeling with SAP2000]. *Revistaft*, 26(111), 43. <https://doi.org/10.5281/zenodo.10019943>

Pessoa, E. G., & Freitas, G. B. (2022b). Análise de custo de pavimentos permeáveis em bloco de concreto utilizando BIM (Building Information Modeling) [Cost analysis of permeable concrete block pavements using BIM]. *Revistaft*, 26(111), 86. <https://doi.org/10.5281/zenodo.10022486>

Recycling of rare earth elements using ionic liquids for regenerative manufacturing. (2023). *International Seven Journal of Multidisciplinary*, 2(5). <https://doi.org/10.56238/isevmjv2n5-037>

Santos, H., & Pessoa, E. G. (2024). Impacts of digitalization on the efficiency and quality of public services: A comprehensive analysis. *LUMEN ET VIRTUS*, 15(40), 4409–4414. <https://doi.org/10.56238/levv15n40024>

Silva, E. N. da. (2025). Urban circular microfactories: Local micro-plants for regenerative urban economies. *Brazilian Journal of Development*, 11(9), Article e82335. <https://doi.org/10.34117/bjdv11n9-059>

Silva, J. F. (2025). Desafios e barreiras jurídicas para o acesso à inclusão de crianças autistas em ambientes educacionais e comerciais [Legal challenges and barriers to the inclusion of autistic children in educational and commercial environments]. *Brazilian Journal of Development*, 11(5), Article e79489. <https://doi.org/10.34117/bjdv11n5-011>

Testoni, F. O. (2025). Niche accounting firms and the Brazilian immigrant community in the U.S.: A study of cultural specialization and inclusive growth. *Brazilian Journal of Development*, 11(5), Article e79627. <https://doi.org/10.34117/bjdv11n5-034>

Zhang, G. P. (2003). Time series forecasting using a hybrid ARIMA and neural network model. *Neurocomputing*, 50, 159–175. [https://doi.org/10.1016/S0925-2312\(01\)00702-0](https://doi.org/10.1016/S0925-2312(01)00702-0)